

# Tabbita Series - 1200

[AES-04-CC0100-1200]



## Technical Specifications

| ATTRIBUTE                           | VALUES   |
|-------------------------------------|--|
| Wattages                            | TBC, 120W  |
| Efficacy                            | 120lm/W  |
| Correlated Colour Index (CRI)       | >80, >90, TBC  |
| MacAdam Ellipse (SDCM)              | <3   |
| IP Rating                           | 20, TBC  |
| IK Rating                           | 05   |
| Voltage                             | AC220-240V, 50/60Hz  |
| Light Source & Brand                | LED: Lumileds 2835   |
| Driver                              | Driver: BOKE, Driver: Eaglerise, Driver: SCPOWER                 |
| Size - Diameter                     | Diameter: 1200mmØ  |
| Size - Height                       | Height: 100mmH   |
| Weight                              | Weight: 18.8kg   |
| Beam Angle                          | TBC, Beam Angle: 120°  |
| Dimming Options                     | Non-Dimmable, Triac Dimmable, TBC, 0-10V Dimmable, DALI Dimmable |
| Material of Housing                 | Housing Material: Aluminium                                      |
| Material of Optics- Glare control   | Optics Material: Polycarbonate                                   |
| Operating Temperature               | Operating Temperature: -20°C to 35°C                             |
| Trim / Outer Colour                 | Trim/Outer: White, Trim/Outer: Black                             |
| Correlated Colour Temperature (CCT) | CCT: 3000K, CCT: 4000K, CCT: 6000K                               |
| Mounting Options                    | Suspended, TBC, Recessed, Ceiling Mounted                        |
| Lens Options                        | TBC, MicroPrismatic Diffuser, Opal Diffuser                      |
| Accessories                         | 5m Suspension Kit, 2m Suspension Kit                             |
| Lamp Life                           | Lamp Life: L80 B10 @ 4K, CRI80                                   |

## Product Options

| ATTRIBUTE       | VALUES                |
|-----------------|-----------------------|
| Size - Diameter | Diameter: 1200mmØ     |
| Size - Height   | Height: 100mmH        |
| Beam Angle      | TBC, Beam Angle: 120° |

| ATTRIBUTE             | VALUES   |
|-----------------------|--|
| Dimming Options       | Non-Dimmable, Triac Dimmable, TBC, 0-10V Dimmable, DALI Dimmable |
| Material of Housing   | Housing Material: Aluminium                                      |
| Operating Temperature | Operating Temperature: -20°C to 35°C                             |
| Accessories           | 5m Suspension Kit, 2m Suspension Kit                             |

## Certification and Compliance

