

Yelta Series - 110 - 8W

[AES-20-A15-110-8W]



Technical Specifications

| ATTRIBUTE | VALUES |
|-------------------------------------|--|
| Wattages | 4W, 6W, 8W, TBC |
| Efficacy | 80-90lm/W |
| Correlated Colour Index (CRI) | >80, TBC |
| MacAdam Ellipse (SDCM) | <5, <3 |
| IP Rating | 20, TBC |
| Voltage | AC220-240V, 50/60Hz |
| Light Source & Brand | LED: Philips 2835 SMD |
| Driver | Driver: BOKE, Driver: AIDimming |
| Size - Diameter | Diameter: 110mmØ |
| Size - Height | Height: 68mmH |
| Cut Out Size - Diameter | Cut Out: 90mmØ |
| Weight | Weight: 0.38kg |
| Beam Angle | TBC, Beam Angle: 70° |
| Dimming Options | Non-Dimmable, Triac Dimmable, TBC, 0-10V Dimmable, DALI Dimmable |
| Material of Housing | Housing Material: Aluminium |
| Material of Optics- Glare control | Optics Material: Polycarbonate |
| Operating Temperature | Operating Temperature: -15°C to 40°C |
| Trim / Outer Colour | Trim/Outer: White |
| Reflector / Internal Colour | Reflector/Internal: White, Reflector/Internal: Shiny Silver, Reflector/Internal: Matt Silver |
| Correlated Colour Temperature (CCT) | CCT: 2700K, CCT: 3000K, CCT: 4000K, CCT: 5000K, CCT: 5700K |
| Mounting Options | TBC, Recessed |
| Lens Options | TBC, Reflector |
| Lamp Life | Lamp Life: L80 B10 @ 4K, CRI80 |

Product Options

| ATTRIBUTE | VALUES |
|-----------------|------------------|
| Size - Diameter | Diameter: 110mmØ |

| ATTRIBUTE | VALUES |
|-----------------------|--|
| Size - Height | Height: 68mmH |
| Beam Angle | TBC, Beam Angle: 70° |
| Dimming Options | Non-Dimmable, Triac Dimmable, TBC, 0-10V Dimmable, DALI Dimmable |
| Material of Housing | Housing Material: Aluminium |
| Operating Temperature | Operating Temperature: -15°C to 40°C |

Certification and Compliance

