

# Tahara Series - 1200

[AES-03-TPL01-G2-1200]



## Technical Specifications

| ATTRIBUTE                           | VALUES   |
|-------------------------------------|--|
| Wattages                            | TBC, 20W, 22W, 24W, 26W, 28W, 30W, 32W, 34W, 36W, 38W, 40W |
| Efficacy                            | 120lm/W  |
| Correlated Colour Index (CRI)       | >80, TBC   |
| MacAdam Ellipse (SDCM)              | <5   |
| IP Rating                           | 67, TBC  |
| IK Rating                           | 08   |
| Voltage                             | AC100-277V, 50/60Hz  |
| Light Source & Brand                | LED: SMD 2835  |
| Driver                              | Driver: MFU28D-40P   |
| Size - Length                       | Length: 1200mmL  |
| Size - Width                        | Width: 99.76mmW  |
| Size - Height                       | Height: 75.77mmH   |
| Weight                              | Weight: 1.86kg   |
| Beam Angle                          | TBC, Beam Angle: 120°                                      |
| Dimming Options                     | Non-Dimmable, TBC  |
| Material of Housing                 | Housing Material: Aluminium                                |
| Material of Optics- Glare control   | Optics Material: Polycarbonate                             |
| Corrosion Resistance                | Corrosion Resistance: C5                                   |
| Operating Temperature               | Operating Temperature: -20°C to +50°C                      |
| Trim / Outer Colour                 | Trim/Outer: White  |
| Reflector / Internal Colour         | Reflector/Internal: White                                  |
| Correlated Colour Temperature (CCT) | CCT: 3000K, CCT: 4000K, CCT: 5000K, CCT: 5700K             |
| Mounting Options                    | TBC, Ceiling Mounted                                       |
| Accessories                         | Emergency, Motion Sensor                                   |
| Lens Options                        | TBC, 120D  |
| Lamp Life                           | Lamp Life: L80 B10 @ 4K, CRI80                             |

## Product Options

| ATTRIBUTE             | VALUES                                |
|-----------------------|---------------------------------------|
| Size - Length         | Length: 1200mmL                       |
| Size - Height         | Height: 75.77mmH                      |
| Beam Angle            | TBC, Beam Angle: 120°                 |
| Dimming Options       | Non-Dimmable, TBC                     |
| Material of Housing   | Housing Material: Aluminium           |
| Operating Temperature | Operating Temperature: -20°C to +50°C |
| Accessories           | Emergency, Motion Sensor              |

## Certification and Compliance

