

Dalwood Series - 86 - COB Lens



Technical Specifications

| ATTRIBUTE | VALUES |
|-------------------------------------|--|
| Wattages | TBC, 15W, 20W, 22W, 24W, 26W |
| Efficacy | 80lm/W |
| Correlated Colour Index (CRI) | >80, >90, TBC |
| MacAdam Ellipse (SDCM) | <5 |
| IP Rating | 66, TBC |
| IK Rating | 07 |
| Voltage | AC220-240V, 50/60Hz, DC 24V |
| Light Source & Brand | LED: Cree COB |
| Driver | Driver: Without Driver, Driver: KGP |
| Size - Length | Length: 86mmL |
| Size - Width | Width: 136mmW |
| Size - Height | Height: 150mmH |
| Weight | Weight: 1-2kg |
| Beam Angle | TBC, Beam Angle: 15°, Beam Angle: 24°, Beam Angle: 36°, Beam Angle: 60° |
| Dimming Options | Non-Dimmable, Triac Dimmable, TBC, 0-10V Dimmable, DALI Dimmable |
| Material of Housing | Housing Material: Die-Casting Aluminum Alloy |
| Material of Optics- Glare control | Optics Material: Super White Tempered Glass |
| Operating Temperature | Operating Temperature: -20°C to +40°C |
| Trim / Outer Colour | Trim/Outer: White, Trim/Outer: Black, Trim/Outer: Grey |
| Correlated Colour Temperature (CCT) | CCT: 2700K, CCT: 3000K, CCT: 3500K, CCT: 4000K, CCT: 5000K, CCT: 5700K, CCT: 6500K |
| Mounting Options | TBC, Wall Mounted |
| Lens Options | TBC, Honeycomb Louve |
| Lamp Life | Lamp Life: L80 B10 @ 4K, CRI80 |

Product Options

| ATTRIBUTE | VALUES |
|---------------|---|
| Size - Length | Length: 86mmL |
| Size - Height | Height: 150mmH |
| Beam Angle | TBC, Beam Angle: 15°, Beam Angle: 24°, Beam Angle: 36°, Beam Angle: 60° |

| ATTRIBUTE | VALUES |
|-----------------------|--|
| Dimming Options | Non-Dimmable, Triac Dimmable, TBC, 0-10V Dimmable, DALI Dimmable |
| Material of Housing | Housing Material: Die-Casting Aluminum Alloy |
| Operating Temperature | Operating Temperature: -20°C to +40°C |

Certification and Compliance

