

Raleigh Series

[AES-03-SL01-G5]



Technical Specifications

ATTRIBUTE	VALUES
Wattages	TBC, 20W
Efficacy	150lm/W
IP Rating	66, TBC
Correlated Colour Index (CRI)	>70, >80, TBC
MacAdam Ellipse (SDCM)	<6
IK Rating	10
Voltage	DC 3.2V
Light Source & Brand	LED: SMD 2835
Size - Diameter	Diameter: 495mmØ
Size - Height	Height: 150mmH
Spigot - Diameter	Spigot: 76mm Ø
Weight	Weight: 4.1kg
Beam Angle	TBC, Beam Angle: 90°
Dimming Options	Non-Dimmable, TBC
Material of Housing	Housing Material: Aluminium
Material of Optics- Glare control	Optics Material: Polycarbonate Lens
Corrosion Resistance	Corrosion Resistance: C5
Operating Temperature	Operating Temperature: -5°C to +50°C
Trim / Outer Colour	Trim/Outer: Grey
Correlated Colour Temperature (CCT)	CCT: 3000K, CCT: 4000K, CCT: 5000K, CCT: 5700K
Mounting Options	TBC, Pole Mounted
Accessories	Microwave Sensor
Lamp Life	Lamp Life: L80 B10 @ 4K, CRI80

Product Options

ATTRIBUTE	VALUES
Size - Diameter	Diameter: 495mmØ
Size - Height	Height: 150mmH
Beam Angle	TBC, Beam Angle: 90°

ATTRIBUTE	VALUES
Dimming Options	Non-Dimmable, TBC
Material of Housing	Housing Material: Aluminium
Operating Temperature	Operating Temperature: -5°C to +50°C
Accessories	Microwave Sensor

Certification and Compliance

