

Leeka Series - Pendant

[AES-32-MYCP-LEDA]



Technical Specifications

ATTRIBUTE	VALUES
Wattages	TBC, 20W, 24W
Efficacy	90lm/W
Correlated Colour Index (CRI)	>80, TBC
IP Rating	20, TBC
Voltage	AC220-240V, 50/60Hz
Light Source & Brand	LED: 3A
Driver	Driver: Eaglerise
Size - Length	Length: 1200mmL, Length: 1500mmL
Size - Width	Width: 70mmW
Size - Height	Height: 55mmH
Weight	Weight: 1.5kg, Weight: 2.5kg
Beam Angle	TBC, Beam Angle: 180°
Dimming Options	Non-Dimmable, Triac Dimmable, TBC, 0-10V Dimmable, DALI Dimmable
Material of Housing	Housing Material: Wood & Metal
Operating Temperature	Operating Temperature: -10°C to +40°C
Trim / Outer Colour	Trim/Outer: Natural Wood, Trim/Outer: Walnut Wood
Correlated Colour Temperature (CCT)	CCT: 3000K
Mounting Options	TBC, Pendant

Product Options

ATTRIBUTE	VALUES
Size - Length	Length: 1200mmL, Length: 1500mmL
Size - Height	Height: 55mmH
Beam Angle	TBC, Beam Angle: 180°
Dimming Options	Non-Dimmable, Triac Dimmable, TBC, 0-10V Dimmable, DALI Dimmable
Material of Housing	Housing Material: Wood & Metal
Operating Temperature	Operating Temperature: -10°C to +40°C

Certification and Compliance

