

Lytton Series - Floor Lamp



Technical Specifications

| ATTRIBUTE | VALUES |
|-------------------------------------|--|
| Wattages | TBC, 24W |
| Efficacy | 90lm/W |
| Correlated Colour Index (CRI) | >80, TBC |
| IP Rating | 20, TBC |
| Voltage | AC220-240V |
| Light Source & Brand | LED: 3A |
| Driver | Driver: Eaglerise |
| Size - Diameter | Diameter: 220mmØ |
| Size - Width | Width: 76mmW |
| Size - Height | Height: 1600mmH |
| Weight | Weight: 3kg |
| Beam Angle | TBC, Beam Angle: 180° |
| Dimming Options | Non-Dimmable, Triac Dimmable, TBC, 0-10V Dimmable, DALI Dimmable |
| Material of Housing | Housing Material: Wood & Metal |
| Operating Temperature | Operating Temperature: -10°C to +40°C |
| Trim / Outer Colour | Trim/Outer: Natural Wood, Trim/Outer: Walnut Wood |
| Correlated Colour Temperature (CCT) | CCT: 3000K |

Product Options

| ATTRIBUTE | VALUES |
|-----------------------|--|
| Size - Diameter | Diameter: 220mmØ |
| Size - Height | Height: 1600mmH |
| Beam Angle | TBC, Beam Angle: 180° |
| Dimming Options | Non-Dimmable, Triac Dimmable, TBC, 0-10V Dimmable, DALI Dimmable |
| Material of Housing | Housing Material: Wood & Metal |
| Operating Temperature | Operating Temperature: -10°C to +40°C |

Certification and Compliance

