

# Ramco Series - 75

[AES-20-C13-75]



## Technical Specifications

| ATTRIBUTE                           | VALUES   |
|-------------------------------------|--|
| Wattages                            | 6W, 8W, 10W, TBC   |
| Efficacy                            | 90-100lm/W   |
| Correlated Colour Index (CRI)       | >80, >90, >97, TBC   |
| MacAdam Ellipse (SDCM)              | <3   |
| IP Rating                           | 65, TBC  |
| Voltage                             | AC220-240V, 50/60Hz  |
| Light Source & Brand                | LED: Citizen COB   |
| Driver                              | Driver: BOKE, Driver: AIDimming  |
| Size - Diameter                     | Diameter: 83mmØ  |
| Size - Height                       | Height: 62mmH  |
| Cut Out Size - Diameter             | Cut Out: 75mmØ   |
| Weight                              | Weight: 0.46kg   |
| Beam Angle                          | TBC, Beam Angle: 15°, Beam Angle: 24°, Beam Angle: 36°, Beam Angle: 50°  |
| Dimming Options                     | Non-Dimmable, Triac Dimmable, TBC, 0-10V Dimmable, DALI Dimmable   |
| Material of Housing                 | Housing Material: Aluminium  |
| Material of Optics- Glare control   | Optics Material: Polycarbonate   |
| Operating Temperature               | Operating Temperature: -15°C to 40°C   |
| Trim / Outer Colour                 | Trim/Outer: White, Trim/Outer: Black   |
| Reflector / Internal Colour         | Reflector/Internal: White, Reflector/Internal: Black, Reflector/Internal: Silver, Reflector/Internal: Shiny Silver, Reflector/Internal: Shiny Black, Reflector/Internal: Shiny Brown |
| Correlated Colour Temperature (CCT) | CCT: 2700K, CCT: 3000K, CCT: 3500K, CCT: 4000K, CCT: 5000K   |
| Mounting Options                    | TBC, Recessed  |
| Lamp Life                           | Lamp Life: L80 B10 @ 4K, CRI80   |

## Product Options

| ATTRIBUTE | VALUES |
|-----------|--------|
|-----------|--------|

| ATTRIBUTE             | VALUES  |
|-----------------------|---|
| Size - Diameter       | Diameter: 83mmØ   |
| Size - Height         | Height: 62mmH   |
| Beam Angle            | TBC, Beam Angle: 15°, Beam Angle: 24°, Beam Angle: 36°, Beam Angle: 50° |
| Dimming Options       | Non-Dimmable, Triac Dimmable, TBC, 0-10V Dimmable, DALI Dimmable        |
| Material of Housing   | Housing Material: Aluminium   |
| Operating Temperature | Operating Temperature: -15°C to 40°C                                    |

## Certification and Compliance

