

# Palana Series - 400

[AES-12-BO16010A-400]



## Technical Specifications

| ATTRIBUTE                     | VALUES                        |
|-------------------------------|-------------------------------|
| Wattages                      | 10W, 13W, TBC, 15W            |
| Efficacy                      | 80lm/W                        |
| Correlated Colour Index (CRI) | >80, >90, TBC                 |
| MacAdam Ellipse (SDCM)        | <5, <3                        |
| IP Rating                     | 65, TBC                       |
| Voltage                       | AC220-240V                    |
| Light Source & Brand          | LED: Osram SMD, LED: CREE SMD |
| Size - Diameter               | Diameter: 160mmØ              |

| ATTRIBUTE                           | VALUES   |
|-------------------------------------|--|
| Size - Height                       | Height: 400mmH   |
| Trim / Outer Colour                 | Trim/Outer: Black, Trim/Outer: Matt White                        |
| Beam Angle                          | TBC, Beam Angle: 120°  |
| Dimming Options                     | Non-Dimmable, Triac Dimmable, TBC, 0-10V Dimmable, DALI Dimmable |
| Correlated Colour Temperature (CCT) | CCT: 3000K, CCT: 4000K, CCT: 5000K, CCT: 6000K                   |
| Material of Housing                 | Housing Material: Aluminium                                      |
| Operating Temperature               | Operating Temperature: -30°C to +50°C                            |

## Product Options

| ATTRIBUTE             | VALUES   |
|-----------------------|--|
| Size - Diameter       | Diameter: 160mmØ   |
| Size - Height         | Height: 400mmH   |
| Beam Angle            | TBC, Beam Angle: 120°  |
| Dimming Options       | Non-Dimmable, Triac Dimmable, TBC, 0-10V Dimmable, DALI Dimmable |
| Material of Housing   | Housing Material: Aluminium                                      |
| Operating Temperature | Operating Temperature: -30°C to +50°C                            |

## Certification and Compliance

